

VHM Rotorfräser

High - Flyer




EXTREME - SPEED beschichtet

VHM Rotorfräser



Zylinder ohne Stirnverzahnung Form A

kreuzverzahnt



Bestell-Nr.
8500...
8500b...
8510...

	Kopf- Ø	Kopf- länge	Schaft- Ø	Gesamt- länge	8500 kreuz- verzahnt	8500 B beschichtet	8510 für ALU
..01503	1.5	6	3	38	9.-	12.-	—
..02503	2.5	11	3	38	9.-	12.-	—
..03003	3	14	3	38	9.-	12.-	18.-
..04003	4	12.7	3	38	19.-	26.-	26.-
..05006	5	16	6	50	14.-	20.-	26.-
..06006	6	16	6	50	13.-	19.-	24.-
..08006	8	19	6	63	17.-	23.-	24.-
..10006	10	19	6	63	19.-	27.-	33.-
..12706	12.7	25	6	68	29.-	39.-	41.-
..16006	16	25	6	68	39.-	54.-	56.-
..20006	20	25	6	69	56.-	76.-	79.-



8500




EXTREM – SPEED
beschichtet

f. ALU

8500 B 8510

Zylinder mit Stirnverzahnung Form B

kreuzverzahnt



Bestell-Nr.
8520...
8520b...
8530...

	Kopf- Ø	Kopf- länge	Schaft- Ø	Gesamt- länge	8520 kreuz- verzahnt	8520 B beschichtet	8530 für ALU
..01503	1.5	6	3	38	9.-	13.-	—
..02503	2.5	11	3	38	9.-	13.-	—
..03003	3	14	3	38	9.-	13.-	18.-
..05006	5	16	6	50	15.-	21.-	—
..06006	6	16	6	50	15.-	21.-	23.-
..08006	8	19	6	63	19.-	25.-	34.-
..10006	10	19	6	63	20.-	29.-	36.-
..12706	12.7	25	6	68	31.-	42.-	49.-
..16006	16	25	6	68	41.-	56.-	58.-
..20006	20	25	6	69	59.-	79.-	82.-



8520




EXTREM – SPEED
beschichtet

f. ALU

8520 B 8530

Kugel-Zylinder Form C

kreuzverzahnt



Bestell-Nr.
8540...
8540b...
8550...

	Kopf- Ø	Kopf- länge	Schaft- Ø	Gesamt- länge	8540 kreuz- verzahnt	8540 B beschichtet	8550 für ALU
..02503	2.5	11	3	38	9.-	13.-	16.-
..03003	3	14	3	38	9.-	13.-	16.-
..04003	4	12.7	3	38	19.-	26.-	21.-
..05003	5	12.7	3	38	19.-	24.-	22.-
..05006	5	16	6	50	15.-	21.-	26.-
..06006	6	16	6	50	15.-	21.-	28.-
..08006	8	19	6	63	19.-	25.-	34.-
..10006	10	19	6	63	20.-	29.-	36.-
..12706	12.7	25	6	68	32.-	43.-	46.-
..16006	16	25	6	68	41.-	56.-	59.-
..20006	20	25	6	69	59.-	79.-	82.-



8540



EXTREM – SPEED
beschichtet

f. ALU


8540 B 8550

VHM Rotorfräser




Kugel Form D

kreuzverzahnt



8560



EXTREM – SPEED
beschichtet

f. ALU

8560 B

8570

Bestell-Nr.
8560...
8560b...
8570...


	Kopf- Ø	Kopf- länge	Schaft- Ø	Gesamt- länge	8560 kreuz- verzahnt	8560 B beschichtet	8570 für ALU
..02503	2.5	2.1	3	38	8.-	12.-	16.-
..03003	3	2.4	3	38	8.-	12.-	16.-
..05003	5	4.5	3	38	19.-	27.-	22.-
..06006	6	5.5	6	50	14.-	20.-	24.-
..08006	8	6	6	50	15.-	21.-	28.-
..10006	10	8	6	52	17.-	25.-	32.-
..12706	12.7	11	6	54	22.-	32.-	39.-
..16006	16	14	6	58	28.-	43.-	49.-
..20006	20	18	6	60	39.-	59.-	83.-

Tropfen Form E

kreuzverzahnt



8580



EXTREM – SPEED
beschichtet

f. ALU

8580 B


8590

Bestell-Nr.
8580...
8580b...
8590...



	Kopf- Ø	Kopf- länge	Schaft- Ø	Gesamt- länge	8580 kreuz- verzahnt	8580 B beschichtet	8590 für ALU
..03003	3	5.5	3	38	8.-	12.-	15.-
..05003	5	7.1	3	38	16.-	22.-	21.-
..06006	6	9.5	6	50	18.-	24.-	28.-
..10006	10	16	6	60	20.-	29.-	29.-
..12706	12.7	22	6	66	30.-	40.-	39.-
..16006	16	25	6	68	40.-	55.-	55.-
..20006	20	25	6	69	54.-	74.-	82.-

Rundbogen Form F

kreuzverzahnt



8600



EXTREM – SPEED
beschichtet

f. ALU

8600 B

8610

Bestell-Nr.
8600...
8600b...
8610...


	Kopf- Ø	Kopf- länge	Schaft- Ø	Gesamt- länge	8600 kreuz- verzahnt	8600 B beschichtet	8610 für ALU
..03003	3	12.7	3	38	10.-	14.-	15.-
..05003	5	12.7	3	38	19.-	25.-	22.-
..06303	6.3	12.7	3	50	14.-	20.-	24.-
..06006	6	19	6	50	16.-	24.-	30.-
..10006	10	19	6	63	20.-	29.-	36.-
..12706	12.7	25	6	68	30.-	39.-	39.-
..16006	16	25	6	68	40.-	54.-	52.-
..20006	20	25	6	68	56.-	74.-	76.-

VHM Rotorfräser



Spitzbogen Form G

kreuzverzahnt



8620



EXTREM – SPEED
beschichtet


8620 B

Bestell-Nr.
8620...
8620b...

	Kopf- Ø	Kopf- länge	Schaft- Ø	Gesamt- länge	8620 kreuzverzahnt	8620 B beschichtet
..03003	3	6.3	3	38	8.-	12.-
..05003	5	12.7	3	38	19.-	27.-
..06006	6	19	6	50	16.-	22.-
..08006	8	19	6	63	19.-	25.-
..10006	10	19	6	63	20.-	29.-
..12706	12.7	25	6	68	29.-	39.-
..16006	16	25	6	68	40.-	55.-
..20006	20	25	6	69	56.-	76.-

Flamme Form H

kreuzverzahnt



8630



EXTREM – SPEED
beschichtet



8630 B

Bestell-Nr.
8630...
8630b...

	Kopf- Ø	Kopf- länge	Schaft- Ø	Gesamt- länge	8630 kreuzverzahnt	8630 B beschichtet
..03003	3	6.3	3	38	8.-	12.-
..05003	5	9.5	3	38	19.-	27.-
..08006	8	19	6	63	21.-	27.-
..12706	12.7	31	6	75	39.-	48.-
..16006	16	36	6	79	59.-	75.-
..20006	20	41	6	85	79.-	99.-

Kegelsenk Form J 60° / K 90°

kreuzverzahnt



8640 60°

8650 90°

60° / 90°



EXTREM – SPEED
beschichtet

8640 B 60°

8650 B 90°

Bestell-Nr.
8640...
8650...
8640b...
8650b...


	Kopf- Ø	Kopf- länge		Schaft- Ø	Gesamt- länge		8640 8650 kreuzverzahnt		8640B 8650B beschichtet	
		60°	90°		60°	90°	60°	90°		
..03003	3	2.3	1.5	3	38	38	8.-	10.-	12.-	12.-
..06006	6	5	3	6	50	50	14.-	16.-	20.-	20.-
..10006	10	8	4.7	6	55	52	18.-	19.-	27.-	27.-
..12706	12.7	11	6.3	6	58	52	23.-	23.-	33.-	33.-
..16006	16	14	8	6	60	56	30.-	44.-	44.-	58.-
..20006	20	16	9	6	64	58	39.-	46.-	59.-	66.-

VHM Rotorfräser



Rundkegel Form L

kreuzverzahnt



EXTREM – SPEED
beschichtet f. ALU

8660

8660 B


8670

Bestell-Nr.
8660...
8660B...
8670...

	Kopf- Ø	Kopf- länge	Schaft- Ø	Gesamt- länge	Winkel	8660 kreuz- verzahnt	8660 B beschichtet	8670 für ALU
..030010	3	9.5	3	38	10°	8.-	12.-	15.-
..050014	5	12.7	3	38	14°	19.-	27.-	22.-
..060014	6	16	6	50	14°	16.-	22.-	29.-
..080014	8	26	6	66	14°	22.-	28.-	34.-
..100014	10	30	6	71	14°	26.-	35.-	39.-
..127014	12.7	32	6	72	14°	30.-	40.-	46.-
..160014	16	36	6	76	14°	54.-	68.-	68.-
..200014	20	40	6	82	14°	74.-	84.-	96.-

Spitzkegel Form M

kreuzverzahnt



EXTREM – SPEED
beschichtet

8680



8680 B

Bestell-Nr.
8680...
8680B...

	Kopf- Ø	Kopf- länge	Schaft- Ø	Gesamt- länge	Winkel	8680 kreuzverzahnt	8680 B beschichtet
..030014	3	8.7	3	38	14°	8.-	12.-
..030012	3	11	3	38	12°	8.-	12.-
..030007	3	16	3	38	7°	8.-	12.-
..050016	5	12.7	3	38	16°	19.-	27.-
..063022	6.3	16	3	50	22°	13.-	22.-
..060022	6	12.7	6	50	22°	15.-	21.-
..060014	6	19	6	50	14°	16.-	22.-
..060010	6	25	6	50	10°	18.-	24.-
..100028	10	20	6	60	28°	24.-	33.-
..127028	12.7	26	6	66	28°	30.-	40.-
..160031	16	30	6	68	31°	42.-	57.-

Winkel Form N

kreuzverzahnt



EXTREM – SPEED
beschichtet

8690

8690 B

Bestell-Nr.
8690...
8690B...

	Kopf- Ø	Kopf- länge	Schaft- Ø	Gesamt- länge	Winkel	8690 kreuzverzahnt	8690 B beschichtet
..030010	3	4.7	3	38	10°	8.-	12.-
..063010	6.3	6.3	3	44	10°	15.-	22.-
..060010	6	8	6	50	10°	15.-	21.-
..100013	10	9.5	6	52	13°	23.-	32.-
..127028	12.7	12.7	6	56	28°	31.-	41.-
..160018	16	19	6	63	18°	41.-	56.-
..200021	20	19	6	63	21°	48.-	68.-

VHM Fräser

Zylinder Form P



Geeignet für Kunststoffe, Fiberglas, GFK, CFK sowie alle schwerzerpsanbaren und abrasiven Verbundstoffe.

8667
8667 B

8668
8668 B

Bestell-Nr.
8667...
8667b...
8668...
8668b...

	Kopf- Ø	Kopf- länge	Schaft- Ø	Gesamt- länge	8667	8667B beschichtet	8668	8668 B beschichtet
..030003	3	12	3	38	13.-	18.-	17.-	22.-
..040004	4	16	4	50	17.-	26.-	23.-	32.-
..060006	6	25	6	63	22.-	36.-	29.-	44.-
..080008	8	25	8	63	43.-	59.-	52.-	68.-
..100010	10	25	10	70	53.-	80.-	65.-	91.-
..120012	12	25	12	76	77.-	109.-	88.-	118.-

VHM Rotorfräser extra lang



8710



8700



8710



8720



8730

7/21

Bestell-Nr.
8700...
8700b...

	Kopf- Ø	Kopf- länge	Schaft- Ø	Ge- samt- länge	8700	8700 B
..06006	6	12,7	6	163	30.-	49.-
..10006	10	19	6	170	37.-	50.-
..12706	12,7	25	6	177	50.-	63.-
					8710	8710 B
Bestell-Nr. 8710... 8710b...						
..06006	6	12,7	6	163	34.-	53.-
..10006	10	19	6	171	34.-	53.-
..12706	12,7	25	6	177	47.-	66.-
					8720	8720 B
Bestell-Nr. 8720... 8720b...						
..06306	6,3	5,5	6	157	31.-	54.-
..10006	10	8	6	161	34.-	53.-
..12706	12,7	11	6	164	46.-	65.-
					8730	8730 B
Bestell-Nr. 8730... 8730b...						
..06306	6,3	9,5	6	163	31.-	54.-
..10006	10	16	6	168	37.-	59.-
..12706	12,7	22	6	177	47.-	67.-



8740



8750



8760



8770

Bestell-Nr.
8740...
8740b...

	Kopf- Ø	Kopf- länge	Schaft- Ø	Ge- samt- länge	8740	8740 B
..06006	6	12,7	6	163	34.-	57.-
..10006	10	19	6	171	42.-	65.-
..12706	12,7	25	6	177	50.-	73.-
					8750	8750 B
Bestell-Nr. 8750... 8750b...						
..06006	6	12,7	6	163	31.-	54.-
..10006	10	19	6	171	39.-	62.-
..12006	12	25	6	177	47.-	70.-
					8760	8760 B
Bestell-Nr. 8760... 8760b...						
..08006	8	19	6	171	38.-	61.-
..12706	12,7	31	6	183	47.-	70.-
					8770	8770 B
Bestell-Nr. 8770... 8770b...						
..06006	6	16	6	168	34.-	52.-
..10006	10	27	6	179	34.-	54.-
..12706	12,7	28	6	180	47.-	60.-

NOTIZEN

A sheet of white paper with horizontal ruling lines. The lines are evenly spaced and extend across the width of the page. The paper is oriented vertically. The top of the page has the word "NOTIZEN" centered in a bold, black, sans-serif font. The rest of the page is blank, with only the ruling lines visible.

